

#### Commercial and Industrial LED Lighting

www.csc-led.com

# CONTENTS

- HB7B Series pg. 2
  - HB7 Series pg. 6
  - LHB Series pg. 10
- LHB2 Series pg. 12
- EXPL Series pg. 14
- EXPR Series pg. 16
- NSF Rated High Bay pg. 18

# THE HB7B SERIES

# High Bays

Superior heat dissipation and maximum light transmittance suitable for warehouses, factories, gas stations, and more

PRODUCT!

New twist-on motion sensor

# •CSCLED



Instant Start and 0-10V Dimmable



High Grade Aluminum Body for Superior Heat Dissipation

**Clear Glass Lens** 

Easy Twist-On Motion Sensor sold separately

	HB7B SE	RIES MODELS	3	
PRODUCT CODE	WATTS	ССТ	LUMENS	VOLTAGE
HB7B-100W-40K-LV-GL	100W	4000K	15,197 lm	120-277V
HB7B-100W-40K-UD-GL	100W	4000K	15,015 lm	120-347V
HB7B-100W-50K-LV-GL	100W	5000K	15,392 lm	120-277V
HB7B-100W-50K-UD-GL	100W	5000K	15,203 lm	120-347V
HB7B-150W-40K-LV-GL	150W	4000K	21,782 lm	120-277V
HB7B-150W-40K-UD-GL	150W	4000K	22,724 lm	120-347V
HB7B-150W-50K-LV-GL	150W	5000K	22,070 lm	120-277V
HB7B-150W-50K-UD-GL	150W	5000K	22,940 lm	120-347V
HB7B-200W-40K-LV-GL	200W	4000K	29,457 lm	120-277V
HB7B-200W-40K-UD-GL	200W	4000K	30,354 lm	120-347V
HB7B-200W-50K-LV-GL	200W	5000K	29,839 lm	120-277V
HB7B-200W-50K-UD-GL	200W	5000K	30,750 lm	120-347V
HB7B-240W-40K-LV-GL	240W	4000K	34,805 lm	120-277V
HB7B-240W-40K-UD-GL	240W	4000K	36,387 lm	120-347V
HB7B-240W-50K-LV-GL	240W	5000K	35,294 lm	120-277V
HB7B-240W-50K-UD-GL	240W	5000K	36,752 lm	120-347V
HB7B-300W-50K-LV-GL	300W	5000K	45,215 lm	120-277V
HB7B-300W-50K-HV-GL	300W	5000K	43,272 lm	277-480V



HB7B-100W-50-LV-GL



HB7B-300W-50K-LV-GL



HB7B-240W-40K-UD-GL



HB7B-300W-50K-HV-GL

#### HB7B SERIES ACCESSORIES (ORDERED SEPARATELY)

PRODUCT CODE	
HB7B-WG-SM	Wire Guard for 100W/150W HB7B High Bays
HB7B-WG-LG	Wire Guard for 200W/240W HB7B High Bays
HB7B-WG-HG	Wire Guard for 300W HB7B High Bays
HB7B-YK-SM	Yoke Mount for 100W/150W HB7B High Bays
HB7B-YK-LG	Yoke Mount for 200W/240W HB7B High Bays
HB7B-YK-HG	Yoke Mount for 300W HB7B High Bays
HB7B-FR-LENS-SM	Frosted Lens for 100W/150W HB7B High Bays
HB7B-FR-LENS-LG	Frosted Lens for 200W/240W HB7B High Bays
HB7B-FR-LENS-HG	Frosted Lens for 300W HB7B High Bays
HB7B-AL-REF-SM	Reflector for 100W/150W HB7B High Bays
HB7B-AL-REF-LG	Reflector for 200W/240W HB7B High Bays
HB7B-PC-REF-SM-BCV	Bottom cover for HB7B-PC-REF-SM
HB7B-PC-REF-LG-BCV	Bottom cover for HB7B-PC-REF-LG
HB7B-SENSOR	Motion Sensor for HB7B High Bays
HB7B-REMOTE	Remote for HB7B-SENSOR
HB7B-PC-REF-SM	Reflector for 100W/150W HB7B High Bays
HB7B-PC-REF-LG	Reflector for 200W/240W HB7B High Bays



HB7B-SENSOR



HB7B-WG-LG



HB7B-REMOTE



HB7B-AL-REF-LG





HB7B-PC-REF-LG HB7B-PC-REF-SM-BCV

# THE HB7 SERIES

Suppines Last

# High Bays

Shatterproof polycarbonate lens and a high-grade aluminum body Ideal for factories, warehouses, workshops and more





### Long Life, Elevated Driver

for cooler operation




High Grade Aluminum Body for Superior Heat Dissipation (110° beam angle)


Shatter-proof Polycarbonate Lens

#### 0-10V Dimmable


HB7	SERIES MODI	ELS (WHILE	E SUPPLIES	LAST)	
PRODUCT CODE	WATTS	сст	LUMENS	VOLTAGE	COLOUR
HB7-100W-50K-LV	100W	5000K	13,261 lm	120-277V	Black
HB7-100W-50K-UD	100W	5000K	13,162 lm	120-347V	Black
HB7-200W-40K-LV	200W	4000K	26,468 lm	120-277V	Black
HB7-200W-40K-UD	200W	4000K	26,125 lm	120-347V	Black
HB7-200W-50K-UD	200W	5000K	26,707 lm	120-374V	Black
HB7-240W-50K-UD	240W	5000K	31,153 lm	120-347V	Black
HB7-240W-50K-HV	240W	5000K	31,795 lm	277-480V	Black



HB7-100W-50K-UD



HB7-200W-50K-UD



215

#### HB7 SERIES ACCESSORIES (ORDERED SEPARATELY)

PRODUCT CODE	
HB7-1M-XCABLE	Extension Cable for HB7 High Bays
HB7-FR-LENS-A	Frosted Glass Lens for 100W and 150W HB7 High Bays
HB7-FR-LENS-B	Frosted Glass Lens for 200W and 240W HB7 High Bays
HB7-PC-REF-A	PC Reflector for 100W and 150W HB7 High Bays
HB7-PC-REF-B	PC Reflector for 200W and 240W HB7 High Bays
HB7-PC-REF-A-BCV	Bottom Cover for PC Reflector (HB7-PC-REF-A)
HB7-PC-REF-B-BCV	Bottom Cover for PC Reflector (HB7-PC-REF-B)
HB7-AL-REF-A	Aluminum Reflector for 100W and 150W HB7 High Bays
HB7-AL-REF-B	Aluminum Reflector for 200W and 240W HB7 High Bays
HB7-YK-SM	Yoke Mount for 100W and 150W HB7 High Bays
HB7-YK-LG	Yoke Mount for 200W and 240W HB7 High Bays



HB7-PC-REF-A



HB7-PC-REF-A-BCV




HB7-AL-REF-A



HB7-YK-HG







HB7-FR-LENS-A

# THE LHB SERIES

Supplies Last

Linear High Bays

Suitable for manufacturing, shops and warehouse applications





### 120-347V Driver

1. - ) . A

### Steel Housing with White Epoxy Powder Coat Finish

# Low Glare Frosted Lens Included

(Can be removed)

### 0-10V Dimmable

LHB SERIES MODELS (WHILE SUPPLIES LAST)				
PRODUCT CODE	WATTS	ССТ	LUMENS	VOLTAGE
LHB-110W-40K	110W	4000K	15,527 lm	120-347V
LHB-110W-50K	110W	5000K	15,363 lm	120-347V
LHB-165W-50K	165W	5000K	22,762 lm	120-347V
LHB-220W-40K	220W	4000K	30,581 lm	120-347V
LHB-220W-50K	220W	5000K	30,104 lm	120-347V
LHB-300W-40K	300W	4000K	41,756 lm	120-347V

#### LHB SERIES ACCESSORIES (ORDERED SEPARATELY)

PRODUCT CODE	
LHB-110-165-WG	Wire Guard for 110W and 165W LHB High Bays
LHB-220-WG	Wire Guard for 220W LHB High Bays
LHB-300-WG	Wire Guard for 300W LHB High Bays
LHB-BRACKET-SM	Bracket for 110W, 165W, and 220W LHB High Bays
LHB-BRACKET-LG	Bracket for 300W LHB High Bays
MC054V-RC-D	Microwave Motion Sensor - KO Mount
YM2502	Fixture Mounted Occupancy Sensor

# THE LHB2 SERIES

Linear High Bays

Energy efficient replacement for traditional fluorescent fixtures and HID High Bays



#### Centre Knockout allows for Easy Installation of an Optional Motion Sensor



Easy to Install

and Operate

sold separately

#### Instant Start no flickering or humming



### Soft and Uniform Light

makes it easier on the eyes

# Long Lifespan

saving you time and money

	LHB2 SERIES	MODELS		
PRODUCT CODE	WATTS	ССТ	LUMENS	VOLTAGE
LHB2-110W-40K-UD	110W	4000K	15,509 lm	120-347V
LHB2-165W-40K-UD	165W	4000K	23,364 lm	120-347V
LBH2-220W-40K-UD	220W	4000K	29,424 lm	120-347V
LHB2-220W-50K-UD	220W	5000K	30,108 lm	120-347V
LHB2-300W-40K-UD	300W	4000K	43,063 lm	120-347V
LHB2-300W-50K-UD	300W	5000K	43,547 lm	120-347V

#### LHB2 SERIES ACCESSORIES (ORDERED SEPARATELY)

PRODUCT CODE	
LHB-110-165-WG	Wire Guard for 110W and 165W LHB2 High Bays
LHB-220-WG	Wire Guard for 200W LHB2 High Bays
LHB-300-WG	Wire Guard for 300W LHB2 High Bays
LHB-BRACKET-SM	Bracket for 110W, 165W, and 200W LHB2 High Bays
LHB-BRACKET-LG	Bracket for 300W LHB2 High Bays
HB01DMS-B	Motion Sensor
HB01R	Remote Control (Required for HB01DMS-B)

# THE **EXPL** SERIES

PRODUCT!

Linear Explosion-Proof High Bays

Suitable for hazardous environments where flammable gases or vapours, flammable liquids, and combustible dust and/or ignitable fibers may exist

C1, D2 (Groups A,B,C,D)

### IP66 Driver In Separate Compartment



10K surge protection



## Tempered Glass Lens

allows for soft uniform light

Faceted Reflectors

in each LED chip for glare control and beam precision

Pictured with EXPL-YK (sold separately)

	EXPL SERI	ES MODELS		
PRODUCT CODE	WATTS	ССТ	LUMENS	VOLTAGE
EXPL-40W-2FT-50K	40W	5000K	5,881 lm	120-277V
EXPL-80W-4FT-50K	80W	5000K	11,202 lm	120-277V

EXPL SERIES ACCESSORIES (ORDERED SEPARATELY)		
PRODUCT CODE		
EXPL-WG-2FT	Wire Guard for EXPL 2ft Fixtures	
EXPL-WG-4FT	Wire Guard for EXPL 4ft Fixtures	
EXPL-YK	Yoke Mount for 2ft and 4ft Fixtures	

# THE **EXPR** SERIES

PRODUCT!

Round Explosion-Proof High Bays

Suitable for hazardous locations, wet locations, marine environments, and high vibration applications

C1, D2 (Groups A,B,C,D)

# •CSCLED

### IP66 Driver in Separate Compartment

10K surge protection



### Rugged Die Cast Aluminum Housing



Tempered Glass Lens allows for soft uniform light Faceted Reflectors in each LED chip for glare control and beam precision

	EXPR SERIES	MODELS		
PRODUCT CODE	WATTS	ССТ	LUMENS	VOLTAGE
EXPR-60W-50K	60W	5000K	8,870 lm	120-277V
EXPR-100W-50K	100W	5000K	15,967 lm	120-277V
EXPR-150W-50K	150W	5000K	23,834 lm	120-277V

EXPR SERIES ACCESSORIES (ORDERED SEPARATELY)		
PRODUCT CODE		
EXPR-WG-SM	Wire Guard for EXPR 60W Fixtures	
EXPR-WG-LG	Wire Guard for EXPR 100W/150W Fixtures	

# Supplies Last! THE S RATED HIGH BAY

# Food Grade High Bay

Ideal for food processing facilities, supermarkets, restaurants and more



No Glass or Exposed Screws Fresnel Lens Superior light distribution Higher lumen output

## Get them before they're gone!

5 ft Cable, 5 ft Safety Chain, and 2 pc Hanging Ring Included

NSF RATED HIGH BAY				
PRODUCT CODE	WATTS	ССТ	LUMENS	VOLTAGE
HL-HB150P1990	150W	5000K	20,646 lm	120-277V

# •CSCLED

#### DISTRIBUTORS

Set up your online account to view pricing and product availability CONTRACTORS

Contact your preferred electrical wholesaler for more information

Visit www.csc-led.com to learn more about our other products, technical specifications, certifications, customer testimonials, and more.

#### VISIT OUR WEBSITE TO VIEW OUR FULL PRODUCT LINE

Canopy Lights Hazloc Horticultural Corn Lamps Panel Lights Security Lights Solar Lights Street Lights Vapour-Proof Work Lights T-Grid and more!

#### FLOOD / AREA LIGHTS

Sleek, streamlined and versatile designs, suitable for almost all indoor and outdoor applications

#### WALL PACKS

Ideal for building entrances, schools, stairways, loading docks, institutions and more







#### **Ontario Head Office**

8 - 540 Jamieson Parkway Cambridge, ON Canada N3C 0G5 orders@csc-led.com (519) 880 – 9833

#### British Columbia Office

121-1647 Broadway Street Port Coquitlam, BC Canada V3C 6P8 ordersbc@csc-led.com (778) 730 – 0448

info@csc-led.com

### CSCLED Sales Agents

#### ALBERTA / SASKATCHEWAN

Sensible Adaptive Solutions P: (403) 519–4209 (403) 869–8252 www.sensibleadaptive.com

#### **BRITISH COLUMBIA**

Ken Watt & Associates P: (604) 576–2838 www.kenwattassoc.com

#### MANITOBA

TMC Sales P: (204) 837–5036 www.tmcsales.ca ONTARIO

Roney Marketing Ltd. P: (905) 595–1344 www.roneymk.com

#### NEWFOUNDLAND AND LABRADOR

RWM Enterprises P: (709) 682–4012

QUÉBEC Éclairage Hi-Tech Inc. P: (450) 442-7604 www.eclairagehitech.com



The information provided in our print catalogues and on our website has been gathered and assembled with every effort made to verify the accuracy of the content; however, mistakes can happen. The information in this document is subject to change without notice. If you have any questions or comments, please reach out to us at marketing@csc-led.com