

1 - 888 - 900 - 9885 I info@csc-led.com www.csc-led.com In a world where technology is constantly advancing, we understand the importance of utilizing it. Implementing QR codes in our catalogues ensures that you always have the most up-to-date information at your fingertips and helps reduce our eco-footprint!



# **HOW TO** Utilize the QR Codes

- **1.** Open the camera on your smartphone. **Note**: If you have an older device, you may have to download a QR Code Reader app.
- 2. Hold your device over a QR Code so that it's clearly visible within your smartphone's screen. Two things can happen when you correctly hold your smartphone over a QR Code.
  - a) The phone automatically scans the code.
  - b) On some devices, you may have to press a button to snap a picture.
- **3.** That's it! Once your device reads the code, it will navigate to the intended web page for more information about CSC LED products and services.



Our mission is to support our business partners in the industrial and commercial construction sector with persistent communication and collaboration.

CSC LED, formerly known as Earth-line SSL, has been in the LED business since 2006. We partner with our electrical wholesale customers and provide affordable and reliable LED products that are made with only the best LED chips, drivers, and thermal management.

### What makes us different from our competitors?

• We understand the business from the perspective of all parties involved distributors, sales representatives, electricians, contractors, etc.

We have a diverse team of professionals on staff who understand and have experience in the industry and are therefore able to provide our customers with the best products, service, and support. • We partner with our customers to ensure a mutually beneficial relationship.

We provide back-end tools and support to make our wholesale customer's jobs easier, including online access to pricing and inventory levels 24/7.

• We have been in the industry for over 17 years.

We have outlasted our warranties - not many of our competitors can boast this!

### What's different about our products?

- Tier 1 quality products at competitive price points.
- Our products use the same LED light engines, the same quality drivers, and the same castings and powder coat finishes as many of the higher priced products in the marketplace.

High quality products, competitive prices, and great customer service!

# Flood / Area Lights



#### **Need Tech Support?**

Our talented Technical Sales Team is always there to help you land that big project! They are available to help with financial summaries, cost of waiting reports, professional lighting layouts, and so much more. Email info@csc-led.com to learn more!

FL02 Series CLEARANCE			ST02B Series		SP01B Series	
architectu	e Series Indscape lighting, ral flood lighting, rwall washing		features as the favourite ST02	Now availa wattages a	tadium Lights able in more and 120-347V! with yoke mount	
Watts	20W	Watts	50W, 100W	Watts	500W, 750W, 1000W	
Voltage	120-277V	Voltage	120-277V	Voltage	120-347V	
CCT	40K	CCT	40K	CCT	50K	
		DLC	Premium	DLC	Premium	

2

# Flood / Area Lights

### **FLM Series**

15W\* \*\*, 30W\*, 50W\*, 70W, 90W

40K\*\* or Selectable (30K/40K/50K)

120-277V\* or 120-347V

#### WHILE SUPPLIES LAST



"The ability to change the colour temperature makes these fixtures very versatile. Combined with their small footprint makes these fixtures great for a variety of applications."

- July 2022 Review

#### Mini Flood Lights

Watts Voltage

CCT

DLC

Ideal for landscaping, patios, security lighting, signs, building facades, and more. Excellent replacement for quartz halogen fixtures. Featuring a rugged polyester powder coat finish, a high-impact polycarbonate lens, and built-in photocell



### PTA02 Series



Pole Top Area Lights Suitable for use with up to 3" OD poles and complete with a high efficiency Type 5 optic lens



Watts	35W*, 55W*, 75W, 100W, 150W
Voltage	120-277V*, 120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium

### Downlights

30W-90W: Premium



Watts	15W, 20W, Selectable (27W/34W/40W*)
Voltage	120-347V
ССТ	Selectable (30K/40K/50K) or (30K/35K/40K)*

Reflectors sold separately

Accessories (Sold Separately): 4" Round Reflector, 4" Square Reflector, 4" Round Wall Wash Reflector, 6" Round Reflector, 8" Round Reflector



sold separately



Watts	18W
Voltage	120-277V
CCT	35K

Accessories (Sold Separately): 6" Reflector, 8" Reflector, 6" Housing Frame, 8" Housing Frame

## Hazloc / Explosion-Proof

### **EXPL** Series

### **EXPR** Series



Linear Explosion-Proof	D
C1, D2, (Groups A, B, C, D),	Ę
UL844, UL1598, UL8750.	- 15
Yoke Mount sold separately	- 6

40W, 80W

120-277V

50K 2', 4'

Watts Voltage

CCT

Length



STATISTICS IN COMPANY



#### Round Explosion-Proof

C1, D2, (Groups A, B, C, D), UL844, UL1598, UL8750. Atex II2G Ex db IIC T6 Gb. Suitable for hazardous environments where flammable dangers exist, wet locations, marine environments, and high vibration applications. Complete with Yoke Mount



Watts	60W, 100W, 150W
Voltage	120-277V
CCT	50K
Beam	110°



### Lamps



#### \*SELECT PRODUCTS ONLY. VISIT OUR WEBSITE TO LEARN MORE Availability subject to change.

### **High Bays**



#### HB8 Series High Bays

The successor to our best-selling HB7C High Bays! Now power and colour selectable, with select models available in white. Ideal for warehouses, factories, gas stations, gymnasiums, grocery stores, food processing facilities, and more. Our shatterproof polycarbonate optics meet DLC 5.1 glare standards. Instant start and 0-10V dimmable with a long life, elevated driver for cooler operation



Watts	Selectable (60W/80W/100W, 100W/120W/150W, 200W/220W/240W, 240W/270W/300W*)
Voltage	120-277V*, 120-347V, 277-480V*
CCT	Selectable (30K/40K/50K)
Beam	90°



HB7C Series

WHILE SUPPLIES LAST





#### HB7C Series High Bays

Ideal for warehouses, factories, gas stations, and more. Our shatterproof polycarbonate optics meet DLC 5.1 glare standards. Variety of accessories available



Watts	100W, 150W, 200W, 240W, 300W*
Voltage	120-277V, 120-347V, 277-480V*
CCT	40K or 50K
Beam	90°
DLC	Premium

#### Linear High Bays

All of the amazing features of the LHB2, now with shatterproof polycarbonate optics that meet DLC 5.1 glare standards. Mounting hooks included



Watts	110W, 165W, 220W, 300W
Voltage	120-347V
CCT	40K or 50K
Beam	100°
DLC	Premium

# Panels / Troffers

PLP Series		PLS Series		PLBL Series CLEARANCE	
ghts are c	hts Premium panel colour selectable r selectable	luminaires	hts International Internationa	with supe	anels Inted LED chips rior lensing ensures lap and illumination
Watts	Selectable (20W/30W/40W) or (30W/40W/50W)	Watts	Selectable (20W/30W/40W) or (30W/40W/50W)	Watts Voltage	40W 120-347V
Voltage	120-347V	Voltage	120-277V	CCT	35K, 50K
CCT	Selectable (30K/35K/40K)	CCT	40K	Size	1'x4'
Size	1'x4', 2'x2', 2'x4'	Size	1'x4', 2'x2', 2'x4'		
DLC	Premium	DLC	Standard		etitively priced panel fixture th exceptional quality." - March 2021 Review



**NEW MODELS!** 



Power selectable models meet/exceed DLC 5.1 glare standards for increased visual comfort

Direct/Indirect Panel Lights 50% up and 50% down light distribution. Complete with fully adjustable aircraft cables (1m) 

6

CLEARANCE

- <b>j</b>	
Watts	40W
Voltage	120-277V
CCT	35K, 40K
Size	1'x4'

### **Volumetric Troffers**

Ideal for commercial lighting areas such as offices, retail spaces, hallways, healthcare applications, and more. Rigid steel frame mounts to any T-Bar ceiling. Now available in power selectable and colour selectable models!



Watts	30W, 40W, Selectable* (20W/30W/40W) or (30W/35W/40W)
Voltage	120-347V
CCT	35K, 40K, Selectable* (30K/35K/40K)
Size	1'x4', 2'x2', 2'x4'
DLC	Standard: VOL22-40W-3P-3CCT-UD, Premium: VOL24-40W-3P-3CCT-UD

### **Canopy Lights**

### GCL01 Series





#### Garage Canopy Lights

Horizontal light dispersion for maximum uniform coverage and optimal visual comfort. Cost-effective and efficient lighting for parking garages, covered walkways, and canopies. Optional motion sensor available (sold separately)



Watts	45W, 75W
Voltage	120-347V
CCT	40K
Beam	170°
DLC	Premium

### Bollards

NEW!

Image: State of the state

Ideal for gardens, pathways, sidewalks, and building entrances. This fixture is both power and colour selectable, with bases available in three different heights: 19", 35", 42". Visor available as an accessory (sold separately)



Watts	Selectable 14W (Field Adjustable to 25%, 50%, 75%, 100%)
Voltage	120-277V
CCT	Selectable (30K/40K/50K)

### See what our customers are saying about us!

"So great to deal with and the ease of their website makes them one of the best lighting suppliers out there."

- March 2023 Review

#### "This site is one of the best portals I use for placing orders online."

- June 2022 Review

"CSC LED has a great product mix and excellent customer service. A wonderful company to do business with!"

- March 2021 Review

"I suggest CSC LED for all jobs that you have the chance to offer it for!"

- March 2021 Review

"Great product and always lots of stock! Backed by excellent pricing!"

- April 2022 Review

"Accurate stock levels, pricing, ETA's, everything is perfect. Should be a standard in our industry!"

- April 2022 Review

7

### Horticultural



#### Full Spectrum Grow Lights

Features high output Lumiled diodes and full spectrum output with optimized uniformity. The 120-347V driver is complete with 4kV surge protection and superior thermal management

75.772

Watts	480W, 660W
Voltage	120-347V
PAR	1,163 - 1,651 µmol/s
DLC	Horticultural







and ideal for vertical farming



Watts	53W
Voltage	85-265V
Beam	120°
Length	4'

# Security / Work Lights

TWL Series



Temporary Work Light Ideal for subway construction,

8

factory/residential renovations, docks, and more

Watts	100W
Voltage	120V
CCT	50K
Beam	266°

SS Series



#### Security Light

Swivel arms allow for directional light. Includes 180° motion detection and 3 operating modes



# **T-Grid**

**T-Grid Series** 



T-Grid Integrated Luminaires Seamless integration into suspended ceilings allows you to create unique lighting designs



Watts	10W, 20W
Voltage	120-277V
CCT	35K, 40K
Length	2', 4'

# Strip Lights



### Vapour Proofs

CLEAF	SL Series RANCE	NEW N	VT Series MODELS!	
				Available in 2', 4' or 8' lengths
	ofs 6 and suitable for suspended mounting	IP66, NEM options av	KVapour Tights IA 4X, and IK10 rated. Power selectable and colour selectable and colour selectable. Ideal for parking garages, car washes, industrial a essing plants, paint shops, and other harsh environments	applications,
Watts	30W, 40W		36W*, 100W, 150W, Selectable (15W/20W/25W,	20W/28W/35W,
Voltage	120-277V	Watts	30W/45W/60W, 65W/75W/90W/110W)	
ССТ	50K	Voltage	120-347V	
		CCT	40K*, 50K*, Selectable (35K/40K/50K)	
		DLC	Premium, Standard (36W models)	

### Wall Packs



CWP04 Series

"Color selectable, built-in photocell, and great lumen output. It doesn't get any better than this!"

- December 2022 Review



CLEARANCE



#### CWP04 Wall Packs

Ideal for entryway and exterior security lighting. Easy installation and maintenance with colour temperature and voltage options. Featuring a durable die-cast aluminum housing, and a borosilicate glass lens with instant start, soft, uniform light







Watts	40W, 60W, 80W, 120W
Voltage	277-480V
CCT	40K, 50K

## Wall Packs

### **AWP03 Series**



### **DWS Series**



Architectural Wall Packs Versatile wall pack with a slim profile that fits almost any outdoor lighting application



Watts	20W, 40W, 80W, 120W, Selectable (10W/20W/30W/40W)*
Voltage	120-277V, 120-347V
CCT	40K
DLC	Premium

### "Easy install, adjustable head, covers all voltages. Great Product!"

- November 2021 Review

### **RWP02** Series



#### **Rotatable Wall Packs**

Use as an uplight, downlight, or flood light with the two 270° rotatable modules

Watts	40W, 60W, 80W
Voltage	120-277V
CCT	Selectable (30K/40K/50K)
DLC	Premium



MWP03 Mini Wall Packs Ideal for security lighting, commercial entrances, stairways perimeter areas, and more

п

Watts	20W
Voltage	120-277V
CCT	40K
DLC	Premium

"We use a lot of these over man doors and or covered entries. Built-in photocell is a real plus. Quick installation is a breeze!"

- December 2022 Review



**Decorative Wall Sconces** Choose from 3 covers to create your custom look. Suitable for indoor or outdoor applications



Watts	15W
Voltage	120-277V
CCT	30K, 40K
Finish	Bronze, Black





DWS-C1

DWS-C3

**WPX** Series

"We require 0 spill in lighting layouts and the WPX delivers every time. It's where the future is going!"

DWS-C2

- December 2022 Review

#### WPX Wall Packs

**BEST SELLER** 

Approved by International Dark Sky Association (when set to 3000K operation). Ideal for outdoor wall-mount applications such as commercial, industrial, retail, or hospitality buildings. Type III distribution optics (Type II and Type IV available)



Watts	30W, 50W, 80W, 120W
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium

### DISTRIBUTORS

Contact your regional sales agency to learn more about our products and services

### ELECTRICIANS

Contact your regional sales agency to find your nearest electrical wholesaler

### Sales Agencies Representing CSC LED Across Canada

### **BC Sales Agency**

ken watt & associates inc

www.kenwattassoc.com (604) 576 - 2838 info@kenwattassoc.com

### AB/SK Sales Agency



www.sensibleadaptive.com (403) 869 - 8252 krista.sherven@sensibleadaptive.com

### **MB Sales Agency**



www.tmcsales.ca (204) 837 - 5036 orders@tmcsales.ca

### **ON Sales Agency**



www.roneymk.com (905) 595 - 1344 sales@roneymk.com

### **QC Sales Agency**



www.eclairagehitech.com (450) 442 - 7604 info@eclairagehitech.com

### **NL Sales Agency**

### RWM Enterprises Ltd.

Bob Myers, *P.Tech, LC* (709) 682 - 4012 bmyersptech@bellaliant.com

### **Maritimes Sales Agency**



www.catalystsales.ca (902) 266 - 3899 info@catalystsales.ca

12

**Instagram** @cscledcorp



Facebook @CSC LED

Follow Us on Social Media







# • CSCLED

### **ONTARIO HEAD OFFICE**

8 - 540 Jamieson Pkwy Cambridge, ON N3C 0G5 (519) 880 - 9833

### ALBERTA WAREHOUSE 13 - 2355 52 Ave SE Calgary, AB T2C 4X7 (403) 907 - 0212

### **BRITISH COLUMBIA OFFICE**

121-1647 Broadway St Port Coquitlam, BC V3C 6P8 (778) 730 - 0448

### Register for your Online Distributor Portal Account

- 1. Distributors and Electrical Wholesalers, visit www.csc-led.com
- 2. Click on the *Sign Up* button that is located in the top-right corner of the screen
- 3. Fill in the registration form and submit
- 4. A member of our team will notify you once you are good to go

catalogues	>			
or the W	/holesale	ndustry	Log in	Sign Up
ntact Us	More	O Search		

Visit www.csc-led.com to learn more about our products, technical specifications, IES files, product availability, certifications, customer testimonials, and more

### Making our Customer's Experience Better

"CSC LED staff and agents are very friendly, helpful and knowledgeable."

> - Verified Purchaser (AB) February 2021

"The website is very easy to use. By far the best website experience."

> - Verified Purchaser (NB) December 2021

"CSC LED's quality of product ranks with some of the best in the industry!"

- Verified Purchaser (ON) June 2021

#### Contractors: Please contact your preferred electrical wholesaler for more information and to place your order

The information provided in our print catalogues and on our website have been gathered and assembled with every effort made to verify the accuracy of the content; however, mistakes can happen. The information in this document is subject to change without notice. If you have any questions or comments, please reach out to us at **marketing@csc-led.com**