

Commercial and Industrial LED Lighting www.csc-led.com



CONTENTS

FL04B Series pg. 2

FL04 Series pg. 6

SP01B Series pg. 10

CES Series pg. 14

FLM Series pg. 16

Solar Flood Lights pg. 20

PTA02 Series pg. 22

ST02B Series pg. 24



THE FLO4B SERIES

The Concorde Series

Universal power input from 120-347V

A versatile, clean, and modern appearance that brings a pleasing aesthetic to any project



Type III Polycarbonate Optics

Type IV and V available






Complete with Trunnion

Interchangeable mounting options sold separately

FL04B SERIES MODELS							
PRODUCT CODE	WATTS	CCT	LUMENS	VOLTAGE	COLOUR		
FL04B-60W-40K-UD	60W	4000K	8,123 lm	120-347V	Bronze		
FL04B-80W-40K-UD	80W	4000K	10,606 lm	120-347V	Bronze		
FL04B-100W-40K-UD	100W	4000K	13,991 lm	120-347V	Bronze		
FL04B-100W-50K-UD	100W	5000K	13,500 lm	120-347V	Bronze		
FL04B-150W-40K-UD	150W	4000K	20,423 lm	120-347V	Bronze		
FL04B-150W-50K-UD	150W	5000K	20,510 lm	120-347V	Bronze		
FL04B-150W-50K-UD-WH	150W	5000K	20,000 lm	120-347V	White		
FL04B-200W-40K-UD	200W	4000K	26,389 lm	120-347V	Bronze		
FL04B-200W-50K-UD	200W	5000K	26,455 lm	120-347V	Bronze		
FL04B-240W-40K-UD	240W	4000K	34,784 lm	120-347V	Bronze		
FL04B-240W-50K-UD	240W	5000K	34,805 lm	120-347V	Bronze		
FL04B-300W-40K-UD	300W	4000K	41,315 lm	120-347V	Bronze		
FL04B-300W-50K-UD	300W	5000K	41,344 lm	120-347V	Bronze		
FL04B-300W-50K-UD-WH	300W	5000K	41,344 lm	120-347V	White		

NOTE: 450W fixtures available. Contact your local sales rep for more information.



FL04B SERIES ACCESSORIES (SOLD SEPARATELY)

PRODUCT CODE

FL04B-TYPE-IV	Type IV Optics (order 2 for 240W-300W fixtures)
FL04B-TYPE-V	Type V Optics (order 2 for 240W-300W fixtures)
HB01DMS-A	Motion Sensor
HB01R	Motion Sensor Remote (required for HB01DMS-A)
JL-200 and JL-205LV	Photocell and Receptacle for 120-277V site
JL-200 and JL-207E	Photocell and Receptacle for 277-480V site
FL04B-SHIELD-SM	Shield for 100W, 150W, 200W fixtures
FL04B-SHIELD-LG	Shield for 240W, 300W fixtures
FL04-SF	Slip Fitter
FL04-SF-WH	Slip Fitter (White)
FL04-MM	Multi-Mount
FL04-MM-WH	Multi-Mount (White)
FL04-PM	Pole Mount
FL04-PM-WH	Pole Mount (White)
FL04-YK-LG	Yoke Mount for 100W, 150W, 200W
FL04-YK-HG	Yoke Mount for 240W, 300W









FL04-SF

FL04-MM

FL04-PM

HB01DMS-A







FL04-MM-WH



FL04-PM-WH



HB01R



THE FLO4 SERIES

The Concorde Series

Sleek, streamlined design with premium polycarbonate optics





Sleek, Streamlined Design

complements any project



Complete with **Trunnion Mount**

Field-Interchangeable mounting sold separately (Pictured with optional Slip Fitter)

Pictured with Slip Fitter (Sold Separately)

FL04 SERIES MODELS (WHILE SUPPLIES LAST)							
PRODUCT CODE	WATTS	ССТ	LUMENS	VOLTAGE	COLOUR		
FL04-60W-50K	60W	5000K	8,318 lm	120-277V	Bronze		
FL04-100W-50K-HV	100W	5000K	12,699 lm	277-480V	Bronze		
FL04-150W-50K-HV-WH	150W	5000K	19,500 lm	277-480V	White		
FL04-200W-50K-HV	200W	5000K	26,040 lm	277-480V	Bronze		
FL04-240W-40K-HV	240W	4000K	31,053 lm	277-480V	Bronze		
FL04-240W-50K-HV	240W	5000K	31,547 lm	277-480V	Bronze		
FL04-300W-40K-HV	300W	4000K	36,705 lm	277-480V	Bronze		
FL04-450W-40K	450W	4000K	54,464 lm	120-277V	Bronze		
FL04-450W-40K-HV	450W	4000K	56,013 lm	277-480V	Bronze		
FL04-450W-50K	450W	5000K	55,443 lm	120-277V	Bronze		
FL04-450W-50K-HV	450W	5000K	57,368 lm	277-480V	Bronze		



FL04-60W-50K



FL04-150W-50K-HV-WH shown with FL04-SF-WH (sold separately)



FL04-450W-40K shown with FL04-YK-LG (sold separately)



FL04-SF



FL04-MM



FL04-PM

FL04 SERIES ACCESSORIES (SOLD SEPARATELY. WHILE SUPPLIES LAST)

PRODUCT CODE

11100001 0000	
FL04-SF	Slip Fitter (Bronze)
FL04-SF-WH	Slip Fitter (White)
FL04-MM	Multi-Mount (Bronze)
FL04-MM-WH	Multi-Mount (White)
FL04-PM	Pole Mount (Bronze)
FL04-PM-WH	Pole Mount (White)
FL04-YK-SM	Yoke Mount for 60W-150W fixtures
FL04-YK-LG	Yoke Mount for 200W-300W fixtures
FL04-MMS-KIT	Motion Sensor Kit
FLPC-LV	Photocell for Low Volt fixtures
FLPC-HV	Photocell for High Volt fixtures
FL04-SHIELD-SM	Shield for 60W, 80W, 100W, and 150W in Bronze
FL04-SHIELD-SM-WH	Shield for 60W, 80W, 100W, and 150W in White
FL04-SHIELD-LG	Shield for 200W, 240W, and 300W in Bronze
FL04-SHIELD-LG-WH	Shield for 200W, 240W, and 300W in White







FLPC-HV

FL04-SF-WH

FL04-MM-WH







FL04-SHIELD-SM pictured on 60W-150W model

THE SPO1B SERIES

Sports Stadium Lights

Ideal for recreational facilities, high mast applications, dock yards, and more





Complete with 1m **Power Cord**

Instant Start with no flickering or humming




Complete with Yoke Mount Slip Fitter available (sold separately)


10kV Surge Suppression

Pictured: SP01B-1000W-50K-20D-UD

SP01B SPORTS STADIUM SERIES MODELS						
PRODUCT CODE	WATTS	ССТ	OPTICS	VOLTAGE		
SP01B-500W-50K-30D-UD	500W	5000K	30°	120-347V		
SP01B-750W-50K-20D-UD	750W	5000K	20°	120-347V		
SP01B-1000W-50K-20D-UD	1000W	5000K	20°	120-347V		

SP01B SPORTS STADIUM SERIES ACCESSORIES (SOLD SEPARATELY)						
PRODUCT CODE						
SP01-SF-SM	Slip Fitter (for 500W fixtures)					
SP01-SF-LG	Slip Fitter (for 1000W fixtures)					
SP01-VISOR-A	Visor (for 500W fixtures)					
SP01-VISOR-B	Visor (for 750W fixtures)					
SP01-VISOR-C	Visor (for 1000W fixtures)					
SP01-LP	Laser Pen (suitable for all fixtures)					
SP01B-500W-120D	120° Optics (for SP01B 500W fixtures)					
SP01B-750W-60D	60° Optics (for SP01B 750W fixtures)					
SP01B-1000W-40D	40° Optics (for SP01B 1000W fixtures)					









SP01B 500W Fixture

SP01B 750W Fixture





SP01B 1000W Fixture

SP01B Slip Fitter





SP01B Visor





Pictured on 750W Fixture

Optics





120° Optics for 500W models



SP01B-750W-60D

60° Optics for 750W models



SP01B-1000W-40D

40° Optics for 1000W models

THE CES

Hazloc - Explosion Proof

Suitable for use in volatile gas and dust explosive environments and uses up to 75% less energy than common legacy type luminaires





120° Beam angle

cUL 8750 Rated

for Class 1, Div 2 groups A, B, C, D

1m Cord and U-Bracket

included with all models



Optical Grade Borosilicate Glass

Bridgelux USA LED Light Engine

emits a fraction of the heat of HID luminaires

Pictured: CES-J40S

CES SERIES MODELS (WHILE SUPPLIES LAST)							
PRODUCT CODE	WATTS	ССТ	LUMENS	VOLTAGE			
CES-J40S	30W	5000K	3,188 lm	120-277V			
CES-J100	100W	5000K	11,826 lm	120-277V			
CES-J185	185W	5000K	21,761 lm	120-277V			

THE FLIVE SERIES

Mini Flood Lights

Perfect for landscaping, patio, and security lighting, signs, and building facades



Die-cast **Aluminum Housing**

with cooling fins for superior heat dissipation



Rugged Polyester Powder Coat Finish Bronze

High-impact Polycarbonate Lens/Optics



30W-90W Models Wattage Selectable

(70-100%)



Colour Tunable 3000K/4000K/5000K

(30W-90W models)

*DLC Premium excludes FLM-15W-40K-LV-KN and FLM-15W-40K-LV-YK which are DLC Standard

Pictured: 50W model

FLM SERIES MODELS						
PRODUCT CODE	WATTS	сст	LUMENS	VOLTAGE	MOUNT	
FLM-15W-40K-LV-KN	15W	4000K	1,603 lm	120-277V	Knuckle	
FLM-15W-40K-LV-YK	15W	4000K	1,603 lm	120-277V	Yoke	
FLM-30W-3CCT-LV	30W	3000K/4000K/5000K	4,141 lm	120-277V	Yoke	
FLM-50W-3CCT-LV	50W	3000K/4000K/5000K	7,148 lm	120-277V	Yoke	
FLM-70W-3CCT-UD	70W	3000K/4000K/5000K	9,526 lm	120-347V	Yoke	
FLM-90W-3CCT-UD	90W	3000K/4000K/5000K	11,320 lm	120-347V	Yoke	



FLM-15W-40K-YK



FLM-30W-3CCT-LV



FLM-50W-3CCT-LV



FLM-70W-3CCT-UD FLM-90W-3CCT-UD

FLM SERIES ACCESSORIES (SOLD SEPARATELY) PRODUCT CODE FLM-KNS Knuckle Mount for 30W and 50W Flood Lights FLM-KNL Knuckle Mount for 70W and 90W Flood Lights FLM-SF Slip Fitter for 70W and 90W Flood Lights FLM-STK Stake Mount suitable for use with any FLM Knuckle Mount



FLM-KNS



FLM-KNL



FLM-SF



FLM-STK shown on 15W fixture



FLM-KNS shown on 15W fixture

THE SOLAR SO

Take your first step towards energy independence in your outdoor spaces with this easy to install solar flood light



Large Capacity Lithium Battery

insulated for cold climates



Dual Motion Sensors (8 metres)

User-replaceable lithium battery (sold separately)



^{*} Not recommended for sustained ambient temperatures below -20°C

SOLAR FLOOD LIGHT SPECIFICATIONS						
PRODUCT CODE	BATTERY	ССТ	LUMENS	RATING		
SFL-10W-7200-50K	3.7V	5000K	1,080 lm	IP65		

SOLAR FLOOD LIGHT ACCESSORIES (ORDERED SEPARATELY)

PRODUCT CODE

SFL-BATT-7200

User-replaceable Lithium Battery for Solar Flood Light

THE PTA02 SERIES

Pole Top Area Light

Elegant look and design

Ideal for parking lots, pathways, parks, retail settings, and more



Twist Lock Photocell Receptacle and Photocell Included





PTA02 SERIES MODELS						
PRODUCT CODE	WATTS	сст	LUMENS	VOLTAGE		
PTA02-35W	35W	3000K, 4000K, 5000K	3,675 lm	120-277V		
PTA02-55W	55W	3000K, 4000K, 5000K	6,214 lm	120-277V		
PTA02-75W-40K	75W	4000K	9,117 lm	120-277V		
PTA02-100W-40K	100W	4000K	12,523 lm	120-277V		
PTA02-150W-40K	150W	4000K	18,686 lm	120-277V		

PTA02 SERIES ACCESSORIES (SOLD SEPARATELY)	
PRODUCT CODE	

JL-208

Shorting Cap for Photocell Receptacle

THE SERIES

Street Light

Ideal for outdoor applications such as municipal street lighting, parking lots, construction sites, storage and rail yards, industrial locations, marinas, and more



Complete with Twist-Lock Photocell Receptacle



photocell sold separately

Slim Design

with low EPA wind resistance



Lumiled Chips

Long Life Driver

with 10KV surge protection

Photocell (sold separately)



ST02B STREET LIGHT SERIES MODELS							
PRODUCT CODE	WATTS	ССТ	LUMENS	VOLTAGE			
ST02B-50W-40K	50W	4000K	6,481 lm	120-277V			
ST02B-100W-40K	100W	4000K	12,552 lm	120-277V			

ST02B STREET LIGHT SERIES ACCESSORIES (SOLD SEPARATELY)

PRODUCT CODE

JL-205LV Photocell JL-208 Shorting Cap

IMPORTANT: Twist Lock Receptacle is included with the fixture.



FAT-HD E-BIKE GIVEAWAY

Open to contractors, electricians, and building managers

Step 1

Electricians, Contractors, and Building Managers: Purchase \$250 of CSC LED product (before shipping and taxes)

Step 2

Fill out the entry form and upload your proof of purchase.



Hover your smartphone's camera over the QR code, or visit www.csc-led.com to fill out the entry form!



FAT-HD E-BIKE: 26" Fat Tire

MAX SPEED: 45 km/h

BATTERY LIFE: 64 km

MOTOR: 48V 1000W BAFANG brushless mid-motor installed

in mid-frame



We are proud to provide affordable, high-quality industrial and commercial LED lighting solutions to Canada's top electrical wholesalers. As the industry continues to evolve every day, we love hearing what our customers have to say so we can continuously learn how we can serve you better.

Visit www.csc-led.com to browse our newest products or to write a review of some of your favourite CSC LED fixtures.

"The website is very user friendly - easy to locate items, spec sheets, pricing & inventory updates at both CSC LED warehouses."

- Verified Purchaser, February 3, 2021

"Very prompt to respond to customer inquiries, CSC LED staff and agents are very friendly, helpful and knowledgeable."

- Verified Purchaser, February 24, 2021

"The CSC LED team is great to deal with - always as helpful as they can be!"

- Verified Purchaser, February 26, 2021

"It's so easy to enter orders online. I processed a customer order in under 2 minutes. What more could you ask for?"

- Verified Purchaser, May 27, 2021

Sign up for an account on our **ELECTRICAL WHOLESALER**

ONLINE DISTRIBUTOR PORTAL



Free nationwide shipping on all orders over \$250*



Receive a 2% discount on every order placed through our online portal




View live inventory counts in our Eastern and Western warehouses including incoming shipment ETAs and branch transfers



View order details, tracking numbers, previous orders, and more




Place your orders at any time, from anywhere, on any device



HOW TO REGISTER

- 1. Visit www.csc-led.com
- Click on the Sign Up button that is located in the top-right corner of the screen
- 3. Fill in the registration form and submit.
- 4. A member of our team will notify you once you are good to go!



Please note: CSC LED also allows online access to electricians and contractors. Non-wholesalers are only able to view inventory levels and suggested trade pricing. They do not have access to the shopping cart feature and are not able to buy direct.

*CSC LED reserves the right to choose the most economical method of shipment at their own discretion. Orders must be \$250 before taxes. Applicable to branch partner locations in Canada. Rush or same-day orders may be subject to additional charges. Visit www.csc-led.com to view our full shipping policy,







FL04B-200W-50K-UD

Top Notch Quality and Product

"This has been one of the most requested light fixtures from our customers. The feedback has been overwhelmingly positive!"



VISIT OUR WEBSITE TO VIEW OUR FULL PRODUCT LINE

Contact your preferred electrical wholesaler for more information

Canopy Lights Panel Lights T-Grid

Corn Lamps Security Lights Vapour-Proof

Hazloc Solar Lights Work Lights

Horticultural Street Lights and more!

View and download our digital resources at www.csc-led.com

ASK FOR OUR OTHER BROCHURES AND CATALOGUES

HIGH BAYS

WALL PACKS

Made with the highest quality materials and ideal for warehouses, factories, and more

Ideal for building entrances, schools, stairways, loading docks, institutions, and more









Ontario Head Office

8 - 540 Jamieson Parkway Cambridge, ON Canada N3C 0G5 orders@csc-led.com (519) 880 - 9833

British Columbia Office

121-1647 Broadway Street
Port Coquitlam, BC Canada V3C 6P8
ordersbc@csc-led.com
(778) 730 - 0448

info@csc-led.com

CSCLED Sales Agencies

ALBERTA / SASKATCHEWAN

Sensible Adaptive Solutions P: (403) 519–4209 (403) 869–8252 www.sensibleadaptive.com

ONTARIO

Roney Marketing Ltd. P: (905) 595–1344 www.roneymk.com

BRITISH COLUMBIA

Ken Watt & Associates P: (604) 576–2838 www.kenwattassoc.com

NEWFOUNDLAND AND LABRADOR

RWM Enterprises P: (709) 682–4012

MANITOBA TMC Sales

P: (204) 837-5036 www.tmcsales.ca

QUÉBEC

Éclairage Hi-Tech Inc. P: (450) 442-7604 www.eclairagehitech.com



The information provided in our print catalogues and on our website has been gathered and assembled with every effort made to verify the accuracy of the content; however, mistakes can happen. The information in this document is subject to change without notice. If you have any questions or comments, please reach out to us at marketing@csc-led.com