



VARO SERIES **ARCHITECTURAL LINEARS**

Create Endless Custom Lighting Layouts

VARO

ARCHITECTURAL LINEARS



KEY FEATURES

Power Selectable

3 power settings per product

5CCT Selectability

2700K / 3000K / 3500K / 4000K / 5000K

Configurable Uplight & Downlight

100% downlight and 0% uplight

90% downlight and 10% uplight

70% downlight and 30% uplight

Lengths

2', 4', or 8'

1 Power Cord Required Per Run

sold separately in 6' and 12' lengths

Easy Runs and Shape Connections With Quick-Connect Design

5 Connector Options

allow for custom configurations

Finishes

Black & White



CUSTOMIZE

Design freely with illuminating connectors and multiple mounting options, including pendant, wall or surface, to create the perfect lighting layout for any space!



UNIVERSAL

Perfect for offices, hotels, libraries, hallways, parking garages, and more — Varo Architectural Linears bring seamless performance and style to any space!



ENHANCE

With 3 power levels, 5CCT options, and direct/indirect configurability, the Varo series lets you craft the ideal lighting atmosphere for any project!



VARO | ARCHITECTURAL LINEARS

Make a statement with CSC LED's Architectural Linear Strip Lights. These sleek, modern fixtures are powerful proven performers that allow for countless customizable configurations and lighting designs to suit the unique needs of your project.



2' Models

Fixtures	Wattage	CCT	Voltage	Length	Lumens	Finish
ALV-2-DI-25W-3P-5CCT-UD-BK	15W/20W/25W	27K/30K/35K/40K/50K	120-347V	2'	2055-3375 lm	Black
ALV-2-DI-25W-3P-5CCT-UD-WH	15W/20W/25W	27K/30K/35K/40K/50K	120-347V	2'	2055-3375 lm	White

4' Models

Fixtures	Wattage	CCT	Voltage	Length	Lumens	Finish
ALV-4-DI-50W-3P-5CCT-UD-BK	30W/40W/50W	27K/30K/35K/40K/50K	120-347V	4'	4110-6750 lm	Black
ALV-4-DI-50W-3P-5CCT-UD-WH	30W/40W/50W	27K/30K/35K/40K/50K	120-347V	4'	4110-6750 lm	White

8' Models

Fixtures	Wattage	CCT	Voltage	Length	Lumens	Finish
ALV-8-DI-100W-3P-5CCT-UD-BK	60W/80W/100W	27K/30K/35K/40K/50K	120-347V	8'	8400-13500 lm	Black
ALV-8-DI-100W-3P-5CCT-UD-WH	60W/80W/100W	27K/30K/35K/40K/50K	120-347V	8'	8400-13500 lm	White



For information on the complete series including IES files, spec sheets, and more, visit www.csc-led.com



Check out our
YouTube channel for
more information on
our products!

Lumen Output Tables

by Model Size

2' Models


	2700K	3000K	3500K	4000K	5000K
15W	2055 lm	2100 lm	2115 lm	2130 lm	2085 lm
20W	2660 lm	2720 lm	2740 lm	2760 lm	2700 lm
25W	3250 lm	3325 lm	3350 lm	3375 lm	3300 lm

4' Models

	2700K	3000K	3500K	4000K	5000K
30W	4110 lm	4200 lm	4230 lm	4260 lm	4170 lm
40W	5320 lm	5440 lm	5480 lm	5520 lm	5400 lm
50W	6500 lm	6650 lm	6700 lm	6750 lm	6600 lm

8' Models

	2700K	3000K	3500K	4000K	5000K
60W	8820 lm	8400 lm	8460 lm	8520 lm	8340 lm
80W	10640 lm	10880 lm	10960 lm	11040 lm	10800 lm
100W	13000 lm	13300 lm	13400 lm	13500 lm	13200 lm




Configurable Switches & Uplight Lens
Top of 2' Luminaire Pictured



Flexible Mounting Options:
T-Bar, Recessed, Wall Mount, Suspension,
and Surface Mount Kits sold separately

**Connectors Available
in Black and White
(sold separately)**





BC BRANCH

1140-2375 Fremont St
Port Coquitlam, BC V3B 0N9
(778) 730-0448

AB BRANCH

13-2355 52 Ave SE
Calgary, AB T2C 4X7
(403) 907-0212

ON HEAD OFFICE

8-540 Jamieson Pkwy
Cambridge, ON N3C 0G5
(519) 880-9833