



CYL Series

# CYLINDERS

Sleek, adjustable lighting built for any interior space

# CYL CYLINDERS



## KEY FEATURES

### Power Selectable

21W / 28W / 35W

### 4CCT Selectable

2700K / 3000K / 3500K / 4000K

### Adjustable Beam Angle

30° / 40° / 50° / 60°

### 120-347V Universal Driver

0-10V dimming

### Mounting

Surface or pendant mount  
(sold separately)

### Finish

Black or White Powder Coat


### Custom Cord Length Available

Contact our team for details!



## HOTELS

Add a sleek, modern touch to hotel lobbies, foyers, and entryways. With adjustable beam angles, these fixtures let you create the perfect ambiance, highlighting architectural features and setting the ideal welcoming atmosphere for every guest.



## RESTAURANTS

Elevate dining experiences with pendant-mounted lighting and multiple CCT options. Perfect over tables, bars, and entrances, they help craft a warm, inviting mood that enhances the overall atmosphere and keeps guests coming back.



## COMMERCIAL

Transform offices, retail spaces, and other commercial environments with clean, architectural lighting. Surface mounting creates the illusion of taller ceilings in smaller rooms, while pendant mounting ties larger spaces together for a polished, cohesive look.



## CYL Series

# CYLINDERS

Add sleek, modern lighting to hotels, restaurants, offices, and retail spaces. Adjustable beam angles and CCT options create the perfect ambiance, while surface or pendant mounting adapts to any room. Black or white finishes, IP40-rated, and built for style and performance.




### CYL Cylinders

Fixtures	Wattage	CCT	Voltage	Beam Angles	Lumens	Finish
CYL-35W-3P-4CCT-UD-BK	21W/28W/35W	27K/30K/35K/40K	120-347V	30°/40°/50°/60°	2370-3476 lm	Black
CYL-35W-3P-4CCT-UD-WH	21W/28W/35W	27K/30K/35K/40K	120-347V	30°/40°/50°/60°	2370-3476 lm	White

Customize the colour temperature to suit any space, creating the perfect mood and ambiance every time.



4000K



3500K



3000K



2700K



For information on the complete series including IES files, spec sheets, and more, visit [www.csc-led.com](http://www.csc-led.com)



Check out our  
**YouTube** video for  
more information on  
our CYL Series!


## Lumen Output Tables

Set to 35W

### CYL Cylinders

	30°	40°	50°	60°
<b>2700K</b>	2370 lm	2620 lm	2743 lm	2857 lm
<b>3000K</b>	2718 lm	2879 lm	3091 lm	3147 lm
<b>3500K</b>	2863 lm	3076 lm	3260 lm	3476 lm
<b>4000K</b>	2766 lm	2956 lm	3116 lm	3413 lm





**BC BRANCH**

1140-2375 Fremont St  
Port Coquitlam, BC V3B 0N9  
(778) 730-0448

**AB BRANCH**

13-2355 52 Ave SE  
Calgary, AB T2C 4X7  
(403) 907-0212

**ON HEAD OFFICE**

8-540 Jamieson Pkwy  
Cambridge, ON N3C 0G5  
(519) 880-9833